● PRINTER RUSH ● (PTO ASSISTANCE)

Application : 10	1671,944	Examiner : 7	an N. Nguyen	GAU:	2834	
From: <u>S</u>	.Winslow	_ Location: (I	DC) FMF FDC	Date:	10-7-05	
Tracking #: Efm 10/671,944 Week Date: 7-4-05						
	1449 – IDS –	DOC DATE	MISCELLA Continuing I Foreign Prio	Data		
	CLM IIFW SRFW DRW OATH 312	9-29-03	☐ Document L☐ Fees☐ Other	egibility		
[RUSH] MESSAC	SPEC	Chief Sra- has lead NOS.	fts person lines that	are mis	sing	
			Please Thanks	advise	9	
[XRUSH] RESPO)NSE:					
NOTE: This for	m will be included	dad as part of the off	DYAUIN	INIT	TALS:	
NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.						

REV 10/04



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATIO NUMBER 10/671944

FILING/RECEIPT DATE **09/29/2003**

FIRST NAMES APPLICANT HANS, HELMUT

ATTORNEY DOCKET NUMBER BOE01 024

Examiner NGUYEN, TRAN
Art Unit 2834 Paper Number

DUANE MORRIS LLP Suite 700 1667 K Street, N.W. Washington DC 20006

Date Mailed: 10/17/2005

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on 09/29/2003, are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO:

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Tyrone Johnson
Office of Patent Publication,
Publishing Division
703-305-0333 #130

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

categories of drawings: Black ink or Color (3 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Type OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) A SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS, 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, 37 CFR 1.84(q) Lead lines missing. Fig(s) Words do not appear on a horizontal, left-to-rif fashion when page is either upright or turned of that the top becomes the right side, except for graphs. Fig(s) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(l) Lines, numbers & letters not uniformly thick at well defined, and black (poor 1 quality). Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not p	categories of drawings: Black ink or	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i)
Color (3 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable brawings sheets not an acceptable size. Fig(s) Top (7) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(g). Acceptable margins: Top (2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(g). Acceptable margins: Top (2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(g). Acceptable margins: Top (2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable provided to drawing changes, e.g., rif Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Scild black surface shading shown not appropriate. Fig(s) Solid black surface sha		Words do not appear on a horizontal left to righ
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Parssures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) L10. or mby 29.7 cm (DIN size A4) or 21.0 cm by 29.7 cm (BINS. 37 CFR 1.84(f): Acceptable sizes: Drawings sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not acceptable size. Fig(s) Top 2.5 or Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)		
granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) Dencil full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) B. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) S. SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top (1) Left (L) Right (R) Bottom (B) S. WIEWS. 37 CFR 1.84(g): Acceptable margins: Fig 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (1) Left (L) Right (R) Bottom (B) S. WIEWS. 37 CFR 1.84(g) S. Order and the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) S. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
Pencil and non black ink not permitted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(f) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(p)(2) Fig(s) Numbers alterters not uniformly thick as well defined, clean, durable, and black (poor 1 quality). Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers alterters not uniformly thick as well defined, clean, durable, poor quality). Fig(s) Numbers alterters not uniformly thick as well defined, clean, durable, poor quality). Fig(s) Numbers alterters not uniformly thick as well defined, clean, durable, poor quality). Fig(s) Numbers alterters not uniformly thick as well defined, clean, durable, poor quality). Fig(s) Numbers alterters not uniformly thick as well defined, clean, durable, poor quality). Fig(s) Numbers alterters not uniformly thick as we		
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must met paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 1. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (B1Xx 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Margins not acceptable. Fig(s) Top (17) Left (L) Right (R) Solimblack areas place. Fig(s) Figure legends are poor. Fig(s) Top (T) Left (L) Right (R) Solimblack areas place. Fig(s) Solimblack areas place fig(s) Top (T) Left (L) Right (R) Solimblack areas place for the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Fig(s) Solimblack areas place. Fig(s) Solimblack areas place fig(s) Numbers and reference characters not plain and legible. Fig(s) Solimblack areas place. Fig(s) Solimblack areas place fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solimblack areas place fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solimblack areas place fig(s) Solimblack areas place fig(s) Numbers and reference characters not plain and legible. Fig(s) Solimblack areas place. Fig(s) Solimblack areas place fig(s) Numbers and reference characters not plain and legible. Fig(s) Solimblack areas place. Fig(s) Solimblack areas place. Fig(s) Solimblack areas place fig(s) Numbers and reference characters not plain and legible. Fig(s) Solimblack areas place. Fig(s) Solim		
One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. IC, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) T. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black spaces and reference characters must at least 32 cm (1/8 inch in height. 37 CFR 1.84(p) Lines, numbers & Liters not uniformly thick as well defined, clean, durable, and black (poor 1 quality). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch in height. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch in height. 37 CFR 1.84(p)(2) Fig(s) Numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) Solid black strace shading is not permitted exhen used to represent the color black as well color contrast. Fig(s)		
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 1. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Solvens 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Solvens 37 CFR 1.84(g): Acceptable margins: Top (T) Left (L) Solvens 37 CFR 1.84(g): A		
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Solid black sariang to proper sizes:		
37 CFR 1.84(f), Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) S. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes. El. 0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) Bottom (B) S. VIEWS. 37 CFR 1.84(h) Bottom (B) S. VIEWS. 37 CFR 1.84(h) Correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the correspond to drawing changes, e.g., if Fig. 1 is chan		
Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) Solid black areas passes. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) Solid black areas passes. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Fig(s) Solid black areas passes. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Fig(s) Solid black areas passes. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas passes. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas passes. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas passes. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(3) Fig(s) Solid black areas passes. Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Solid black areas passes. Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Solid black areas passes. Fig(s) Solid black areas letters. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas letters. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas le		
3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(c) Sheets not numbered consecutively, and in Ara numbers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Ara numberals, beginning with number 1. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(b) Solid black areas pale. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is shanged to Fig. 1A, Fig. 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers, LETTERS, & REFERENCE OHARCTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(p) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters mot oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Soli		Lines, numbers & letters not uniformly thick and
Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Margins not acceptable. Fig(s) Top (T) Left (L) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, nust likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Ara numerals, beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) Solid black stading shown not appropriate. Fig(s) Solid black stading is not permitted. Eig(s) Solid black stading is not permitted. Fig(s) Solid black stading is not permitted. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Paper not flexible, strong, white, and durable.	well defined, clean, durable, and black (poor lin
Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black areas pale. Fig(s) NumBeRS, LETTERS, & REFERENCE PIARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(u) Views not numbered consecutively, and in Ara numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Fig(s)	quality). Fig(s) 1-6,
Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Fop 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Margins not acceptable size. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Sheets not numbered consecutively, and in Aranumbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumbers beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s) Solid black shading not permitted. Fig(s)		11. SHADING. 37 CFR 1.84(m)
1. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Settional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exwenused to represent the color black as well color contrast. Fig(s) Solid black surface shading is not permitted exwenused to represent the color black as well color contrast. Fig(s)		Solid black areas pale. Fig(s)
Sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
Numbers and reference characters not plain and legible. Fig(s) T Numbers and reference characters not plain and legible. Fig(s) T Numbers and reference characters not plain and legible. Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Sending and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) T Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) T Numbers legibles and reference characters not of the principal plants of the same direction as the view. 37 CFR 1.84(p) T Numbers legibles and reference characters not ori		12. NUMBERS, LETTERS, & REFERENCE
All drawing sheets not the same size. Sheet(s) Sheet(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) Sc. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	·	
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Fiop 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)		
Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Fip 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)		
the same direction as the view. 37 CFR 1.84(n) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 1.84(p)(3). Fig(s) 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)		
Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Aranumbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)		
English alphabet not used. 37 CFR 1.84(p)(2) Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		,
Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 1.84(p)(3). Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(t) Sheets not numbered consecutively, and in Ara numbers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Ara numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)		
Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well color contrast. Fig(s)		
1.84(p)(3). Fig(s) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
Lead lines missing. Fig(s) : Lead l		
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		14. NUMBERING OF SHEETS OF DRAWINGS
	specification, at the Brief Description of the Drawings,	37 CFR 1.84(t)
Fig(s)	must likewise be changed.	Sheets not numbered consecutively, and in Arab
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Fig(s)	
Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)	
Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Sectional designation should be noted with	
Fig(s) Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)	Arabic or Roman numbers. Fig(s)	
Solid black surface shading is not permitted ex when used to represent the color black as well color contrast. Fig(s)		
when used to represent the color black as well color contrast. Fig(s)		Fig(s)
color contrast. Fig(s)		
)MMENTS:	color contrast. 1 (g(s)
	NAME OF THE PROPERTY OF THE PR	
	,	